

Lead and Copper Monitoring - 2011

| ID # | Street & Block | Area | Sample Date | Total Lead ppb | Dissolved Lead ppb | Copper ppb | Manganese ppb | Iron ppm |
|------|------------------------|---------|-------------|-------------------|-----------------------|---------------|------------------|-------------|
| 18 | 4900 CAMILLA ROAD | BUCKEYE | 4/17/2011 | 2.60 | 0.59 | 97 | 5.6 | 0.060 |
| 18 | 4900 CAMILLA ROAD | BUCKEYE | 9/27/2011 | 2.05 | 1.19 | 124 | 1.6 | 0.013 |
| 19 | LA CRESCENTA CIRCLE | BUCKEYE | 4/19/2011 | 20.6 | < 0.503 | 132 | 44 | 0.390 |
| 19 | LA CRESCENTA CIRCLE | BUCKEYE | 9/30/2011 | 1.31 | < 0.503 | 92 | 7.2 | 0.028 |
| 20 | 5000 PEBBLEBROOK DRIVE | BUCKEYE | 4/17/2011 | 1.13 | 0.51 | 94 | 2.3 | 0.026 |
| 20 | 5000 PEBBLEBROOK DRIVE | BUCKEYE | 9/27/2011 | 2.29 | < 0.503 | 117 | 15 | 0.052 |
| 21 | 5100 PEBBLEBROOK DRIVE | BUCKEYE | 5/1/2011 | 1.35 | 0.64 | 122 | 2.4 | 0.024 |
| 21 | 5100 PEBBLEBROOK DRIVE | BUCKEYE | 9/28/2011 | 0.51 | < 0.503 | 44 | 13 | 0.040 |
| 22 | SANDLEWOOD CIRCLE | BUCKEYE | 4/17/2011 | 1.46 | 0.53 | 140 | 1.9 | 0.024 |
| 22 | SANDLEWOOD CIRCLE | BUCKEYE | 9/29/2011 | 0.83 | 0.58 | 145 | 3.8 | 0.027 |
| 23 | 5000 STONEHAVEN DRIVE | BUCKEYE | 4/17/2011 | 0.69 | < 0.503 | 120 | 2.0 | 0.028 |
| 23 | 5000 STONEHAVEN DRIVE | BUCKEYE | 9/28/2011 | 1.80 | < 0.503 | 150 | 11 | 0.035 |
| 24 | 5000 STONEHAVEN DRIVE | BUCKEYE | 4/16/2011 | 2.96 | 2.03 | 204 | 2.7 | 0.014 |
| 24 | 5000 STONEHAVEN DRIVE | BUCKEYE | 9/28/2011 | 3.16 | 0.72 | 192 | 12 | 0.035 |
| 25 | 5000 STONEHAVEN DRIVE | BUCKEYE | 4/18/2011 | 1.15 | < 0.503 | 123 | 1.4 | 0.019 |
| 25 | 5000 STONEHAVEN DRIVE | BUCKEYE | 9/28/2011 | 1.43 | < 0.503 | 150 | 12 | 0.040 |
| 26 | 2000 VONDRON ROAD | BUCKEYE | 4/18/2011 | 2.06 | 1.14 | 110 | 1.5 | 0.020 |
| 26 | 2000 VONDRON ROAD | BUCKEYE | 9/30/2011 | 4.19 | 0.52 | 161 | 14 | 0.048 |
| 42 | 100 S FRANKLIN STREET | CENTRAL | 4/17/2011 | 8.98 | < 0.503 | 167 | 34 | 0.217 |
| 42 | 100 S FRANKLIN STREET | CENTRAL | 9/29/2011 | 4.32 | < 0.503 | 145 | 21 | 0.099 |
| 43 | 100 S FRANKLIN STREET | CENTRAL | 4/20/2011 | 0.75 | < 0.503 | 88 | 11 | 0.082 |
| 43 | 100 S FRANKLIN STREET | CENTRAL | 9/29/2011 | 1.10 | < 0.503 | 88 | 19 | 0.086 |
| 1 | 5300 BROOKSHIRE LANE | EAST | 4/18/2011 | 0.91 | < 0.503 | 84 | 3.0 | 0.042 |
| 1 | 5300 BROOKSHIRE LANE | EAST | 9/27/2011 | 1.43 | < 0.503 | 176 | 2.8 | 0.044 |
| 2 | 100 COACH HOUSE DRIVE | EAST | 4/15/2011 | 1.31 | < 0.503 | 101 | 2.9 | 0.043 |
| 2 | 100 COACH HOUSE DRIVE | EAST | 9/27/2011 | 1.41 | < 0.503 | 95 | 2.5 | 0.042 |
| 3 | 200 COACH HOUSE DRIVE | EAST | 4/25/2011 | 1.11 | < 0.503 | 114 | 2.2 | 0.037 |
| 3 | 200 COACH HOUSE DRIVE | EAST | 10/10/2011 | 2.00 | 0.52 | 134 | 2.7 | 0.039 |
| 102 | 200 COACH HOUSE DRIVE | EAST | 12/14/2011 | 1.01 | < 0.503 | 90 | 2.8 | 0.045 |
| 4 | 5200 MILWAUKEE STREET | EAST | 4/17/2011 | 8.90 | < 0.503 | 185 | 7.9 | 0.075 |
| 4 | 5200 MILWAUKEE STREET | EAST | 9/28/2011 | 11.5 | < 0.503 | 126 | 5.8 | 0.084 |

Lead and Copper Monitoring - 2011

| ID # | Street & Block | Area | Sample Date | Total Lead ppb | Dissolved Lead ppb | Copper ppb | Manganese ppb | Iron ppm |
|------|------------------------|----------|-------------|-------------------|-----------------------|---------------|------------------|-------------|
| 5 | 5000 PICCADILLY DRIVE | EAST | 4/19/2011 | 2.32 | 0.68 | 130 | 3.6 | 0.040 |
| 5 | 5000 PICCADILLY DRIVE | EAST | 9/29/2011 | 2.76 | 1.30 | 137 | 2.8 | 0.039 |
| 6 | 5000 PICCADILLY DRIVE | EAST | 4/20/2011 | 0.66 | < 0.503 | 99 | 2.9 | 0.040 |
| 6 | 5000 PICCADILLY DRIVE | EAST | 9/29/2011 | 1.46 | < 0.503 | 117 | 2.7 | 0.044 |
| 7 | 5000 PICCADILLY DRIVE | EAST | 4/21/2011 | 1.28 | < 0.503 | 89 | 2.6 | 0.038 |
| 7 | 5000 PICCADILLY DRIVE | EAST | 9/28/2011 | 1.29 | 0.93 | 111 | 21 | 0.364 |
| 8 | 5100 PICCADILLY DRIVE | EAST | 4/19/2011 | 1.12 | 0.70 | 155 | 2.1 | 0.012 |
| 8 | 5100 PICCADILLY DRIVE | EAST | 9/28/2011 | 1.77 | 0.59 | 151 | 2.1 | 0.036 |
| 9 | 5100 PICCADILLY DRIVE | EAST | 4/19/2011 | < 0.503 | < 0.503 | 80 | 2.7 | 0.041 |
| 9 | 5100 PICCADILLY DRIVE | EAST | 10/11/2011 | 0.71 | < 0.503 | 91 | 2.7 | 0.042 |
| 10 | 5100 PICCADILLY DRIVE | EAST | 4/20/2011 | 0.85 | < 0.503 | 224 | 2.6 | 0.037 |
| 10 | 5100 PICCADILLY DRIVE | EAST | 9/29/2011 | 1.08 | < 0.503 | 171 | 2.6 | 0.040 |
| 11 | 5100 PICCADILLY DRIVE | EAST | 4/18/2011 | 0.71 | < 0.503 | 95 | 2.6 | 0.036 |
| 11 | 5100 PICCADILLY DRIVE | EAST | 9/28/2011 | 0.94 | < 0.503 | 105 | 2.2 | 0.037 |
| 12 | 5100 PICCADILLY DRIVE | EAST | 4/18/2011 | 0.81 | < 0.503 | 122 | 2.4 | 0.034 |
| 12 | 5100 PICCADILLY DRIVE | EAST | 9/28/2011 | 1.13 | < 0.503 | 117 | 2.3 | 0.040 |
| 13 | 200 ST ALBANS AVENUE | EAST | 4/18/2011 | 0.82 | < 0.503 | 105 | 3.3 | 0.048 |
| 14 | STACY LANE | EAST | 4/18/2011 | < 0.503 | < 0.503 | 85 | 2.7 | 0.035 |
| 14 | STACY LANE | EAST | 9/28/2011 | < 0.503 | < 0.503 | 105 | 7.2 | 0.039 |
| 15 | 5100 STAGE HOUSE TRAIL | EAST | 4/16/2011 | 1.24 | < 0.503 | 107 | 2.8 | 0.047 |
| 15 | 5100 STAGE HOUSE TRAIL | EAST | 9/28/2011 | 1.57 | < 0.503 | 110 | 3.1 | 0.045 |
| 16 | 5100 STAGE HOUSE TRAIL | EAST | 4/17/2011 | < 0.503 | < 0.503 | 109 | 3.2 | 0.047 |
| 16 | 5100 STAGE HOUSE TRAIL | EAST | 10/5/2011 | 2.27 | 0.54 | 175 | 3.8 | 0.037 |
| 17 | 5100 STAGE HOUSE TRAIL | EAST | 4/18/2011 | 1.36 | < 0.503 | 119 | 2.3 | 0.033 |
| 17 | 5100 STAGE HOUSE TRAIL | EAST | 9/29/2011 | 1.89 | 0.65 | 134 | 2.7 | 0.043 |
| 101 | 5100 STAGE HOUSE TRAIL | EAST | 12/9/2011 | 2.43 | 1.32 | 148 | 2.7 | 0.034 |
| 44 | 2900 BARLOW STREET | NEARWEST | 4/19/2011 | 2.79 | 2.56 | 178 | 0.2 | 0.003 |
| 44 | 2900 BARLOW STREET | NEARWEST | 9/29/2011 | 3.37 | 2.71 | 187 | 0.2 | 0.013 |
| 45 | 100 LARKIN STREET | NEARWEST | 4/21/2011 | 3.14 | 3.00 | 122 | 0.7 | 0.001 |
| 45 | 100 LARKIN STREET | NEARWEST | 9/29/2011 | 3.91 | 3.74 | 202 | 2.0 | 0.001 |

Lead and Copper Monitoring - 2011

| ID # | Street & Block | Area | Sample Date | Total Lead ppb | Dissolved Lead ppb | Copper ppb | Manganese ppb | Iron ppm |
|------|-------------------------|-----------|-------------|-------------------|-----------------------|---------------|------------------|-------------|
| 46 | 3300 GREGORY STREET | NEARWEST | 4/21/2011 | 0.55 | < 0.503 | 112 | 0.3 | 0.003 |
| 46 | 3300 GREGORY STREET | NEARWEST | 10/4/2011 | 0.59 | < 0.503 | 94 | 0.2 | 0.001 |
| 47 | 400 S OWEN DRIVE | NEARWEST | 4/20/2011 | 0.93 | 0.82 | 127 | 0.5 | 0.003 |
| 47 | 400 S OWEN DRIVE | NEARWEST | 9/27/2011 | 1.15 | 0.80 | 133 | 0.6 | 0.005 |
| 48 | 5300 SHAWANO TERRACE | NEARWEST | 4/20/2011 | 1.68 | 1.37 | 146 | 1.5 | 0.009 |
| 48 | 5300 SHAWANO TERRACE | NEARWEST | 9/27/2011 | 0.52 | < 0.503 | 107 | 1.9 | 0.013 |
| 33 | 1400 BURNING WOOD WAY | NORTH1 | 4/18/2011 | 1.41 | < 0.503 | 126 | 6.0 | 0.089 |
| 33 | 1400 BURNING WOOD WAY | NORTH1 | 9/29/2011 | 1.09 | < 0.503 | 139 | 5.3 | 0.049 |
| 34 | 5500 MANITOWISH WAY | NORTH1 | 4/18/2011 | 2.09 | 0.73 | 202 | 5.1 | 0.033 |
| 34 | 5500 MANITOWISH WAY | NORTH1 | 9/28/2011 | 2.71 | 1.16 | 189 | 4.6 | 0.031 |
| 35 | 1200 MENOMONIE LANE | NORTH1 | 4/18/2011 | 0.87 | < 0.503 | 123 | 6.2 | 0.039 |
| 35 | 1200 MENOMONIE LANE | NORTH1 | 9/29/2011 | 1.75 | < 0.503 | 120 | 5.3 | 0.038 |
| 28 | 4400 AMERICAN ASH DRIVE | NORTH2 | 4/19/2011 | 1.45 | < 0.503 | 158 | 9.1 | 0.041 |
| 28 | 4400 AMERICAN ASH DRIVE | NORTH2 | 9/30/2011 | < 0.503 | < 0.503 | 106 | 5.0 | 0.031 |
| 29 | 1500 MAYFIELD | NORTH2 | 4/18/2011 | 1.31 | < 0.503 | 79 | 4.5 | 0.031 |
| 29 | 1500 MAYFIELD | NORTH2 | 9/28/2011 | 1.49 | < 0.503 | 98 | 4.4 | 0.023 |
| 30 | 500 MUIR DRIVE | NORTH2 | 4/19/2011 | 0.99 | < 0.503 | 99 | 3.6 | 0.025 |
| 30 | 500 MUIR DRIVE | NORTH2 | 9/28/2011 | 0.99 | < 0.503 | 105 | 3.2 | 0.023 |
| 31 | 4500 TEXASTRAIL | NORTH2 | 4/18/2011 | < 0.503 | < 0.503 | 33 | 5.4 | 0.031 |
| 31 | 4500 TEXASTRAIL | NORTH2 | 9/30/2011 | 2.62 | 0.78 | 70 | 4.2 | 0.025 |
| 32 | 4500 WHITE ASPEN ROAD | NORTH2 | 4/18/2011 | 0.80 | < 0.503 | 145 | 5.7 | 0.031 |
| 32 | 4500 WHITE ASPEN ROAD | NORTH2 | 10/5/2011 | 0.71 | < 0.503 | 150 | 3.0 | 0.020 |
| 36 | GRANBY CIRCLE | NORTHEAST | 4/16/2011 | 2.09 | 1.05 | 145 | 2.3 | 0.012 |
| 36 | GRANBY CIRCLE | NORTHEAST | 9/27/2011 | 1.88 | 1.25 | 125 | 1.4 | 0.007 |
| 37 | 3500 OLD GATE ROAD | NORTHEAST | 4/17/2011 | 4.16 | 2.63 | 239 | 2.9 | 0.011 |
| 37 | 3500 OLD GATE ROAD | NORTHEAST | 9/28/2011 | 3.56 | 2.49 | 183 | 2.9 | 0.006 |
| 38 | 3300 SUNBROOK ROAD | NORTHEAST | 4/19/2011 | 0.58 | 0.58 | 83 | 1.1 | 0.006 |
| 38 | 3300 SUNBROOK ROAD | NORTHEAST | 9/29/2011 | 2.45 | 2.41 | 112 | 1.4 | 0.003 |
| 39 | 4000 TOMSCOT TRAIL | NORTHEAST | 4/18/2011 | 3.30 | 1.85 | 151 | 2.6 | 0.012 |
| 39 | 4000 TOMSCOT TRAIL | NORTHEAST | 9/28/2011 | 4.32 | 3.40 | 178 | 1.4 | 0.006 |

Lead and Copper Monitoring - 2011

| ID # | Street & Block | Area | Sample Date | Total Lead ppb | Dissolved Lead ppb | Copper ppb | Manganese ppb | Iron ppm |
|------|----------------------|-----------|-------------|-------------------|-----------------------|---------------|------------------|-------------|
| 40 | 4000 TOMSCOT TRAIL | NORTHEAST | 4/19/2011 | 1.04 | < 0.503 | 120 | 2.7 | 0.012 |
| 40 | 4000 TOMSCOT TRAIL | NORTHEAST | 9/28/2011 | 1.29 | 0.83 | 106 | 1.4 | 0.006 |
| 41 | 4100 TOMSCOTT RAIL | NORTHEAST | 4/18/2011 | 2.51 | 1.41 | 153 | 3.3 | 0.014 |
| 41 | 4100 TOMSCOTT RAIL | NORTHEAST | 9/26/2011 | 2.80 | 1.81 | 161 | 1.4 | 0.009 |
| 49 | 3000 IRVINGTON WAY | SOUTH | 4/20/2011 | 0.83 | 0.86 | 107 | 0.3 | 0.001 |
| 49 | 3000 IRVINGTON WAY | SOUTH | 9/28/2011 | 1.18 | 0.80 | 99 | 0.2 | 0.001 |
| 50 | 3000 IRVINGTON WAY | SOUTH | 4/21/2011 | < 0.503 | < 0.503 | 120 | 0.3 | 0.001 |
| 50 | 3000 IRVINGTON WAY | SOUTH | 9/28/2011 | 0.51 | < 0.503 | 121 | 0.3 | 0.001 |
| 27 | 700 WOODLAWN DRIVE | SOUTHEAST | 4/17/2011 | 1.74 | 1.47 | 120 | 0.6 | 0.009 |
| 27 | 700 WOODLAWN DRIVE | SOUTHEAST | 9/28/2011 | 2.64 | 2.13 | 189 | 0.3 | 0.008 |
| 51 | 6900 CARNWOOD ROAD | SOUTHWEST | 5/11/2011 | 2.58 | 2.22 | 96 | 0.5 | 0.001 |
| 51 | 6900 CARNWOOD ROAD | SOUTHWEST | 10/5/2011 | 5.53 | 5.49 | 173 | 0.2 | 0.001 |
| 52 | 7000 CARNWOOD ROAD | SOUTHWEST | 5/10/2011 | 0.56 | < 0.503 | 92 | 0.4 | 0.001 |
| 52 | 7000 CARNWOOD ROAD | SOUTHWEST | 10/5/2011 | < 0.503 | < 0.503 | 103 | 0.3 | 0.001 |
| 53 | GEORGETOWN COURT | SOUTHWEST | 4/21/2011 | 2.36 | < 0.503 | 75 | 0.7 | 0.007 |
| 53 | GEORGETOWN COURT | SOUTHWEST | 9/28/2011 | 0.83 | 0.73 | 82 | 0.2 | 0.001 |
| 54 | GEORGETOWN COURT | SOUTHWEST | 4/22/2011 | 2.22 | 1.98 | 130 | 0.6 | 0.002 |
| 54 | GEORGETOWN COURT | SOUTHWEST | 9/29/2011 | 1.58 | 1.40 | 119 | 0.2 | 0.001 |
| 55 | 7000 GLADSTONE DRIVE | SOUTHWEST | 4/27/2011 | 1.32 | 1.01 | 108 | 0.6 | 0.001 |
| 55 | 7000 GLADSTONE DRIVE | SOUTHWEST | 9/28/2011 | 0.86 | 0.74 | 108 | 0.4 | 0.001 |
| 56 | 2900 GREENWAY TRAIL | SOUTHWEST | 4/21/2011 | 1.04 | 1.03 | 83 | 0.4 | 0.001 |
| 56 | 2900 GREENWAY TRAIL | SOUTHWEST | 9/28/2011 | 0.52 | < 0.503 | 88 | 0.2 | 0.001 |
| 57 | 2900 GREENWAY TRAIL | SOUTHWEST | 4/21/2011 | 1.66 | < 0.503 | 135 | 0.7 | 0.002 |
| 57 | 2900 GREENWAY TRAIL | SOUTHWEST | 10/6/2011 | 1.43 | 1.32 | 29 | 0.6 | 0.001 |
| 58 | 2900 GREENWAY TRAIL | SOUTHWEST | 5/20/2011 | 1.07 | 0.98 | 119 | < 0.15 | 0.001 |
| 58 | 2900 GREENWAY TRAIL | SOUTHWEST | 9/27/2011 | 1.82 | 0.97 | 116 | 0.2 | 0.001 |
| 59 | 3000 GREENWAY TRAIL | SOUTHWEST | 4/20/2011 | 0.76 | 0.68 | 148 | 0.4 | 0.001 |
| 59 | 3000 GREENWAY TRAIL | SOUTHWEST | 9/28/2011 | 0.93 | 0.81 | 152 | 0.2 | 0.001 |
| 60 | JACOBS COURT | SOUTHWEST | 4/20/2011 | 1.21 | 1.06 | 123 | 0.4 | 0.001 |
| 60 | JACOBS COURT | SOUTHWEST | 10/10/2011 | 2.70 | 2.61 | 128 | 0.2 | 0.001 |

Lead and Copper Monitoring - 2011

| ID # | Street & Block | Area | Sample Date | Total Lead ppb | Dissolved Lead ppb | Copper ppb | Manganese ppb | Iron ppm |
|------|----------------------|-----------|-------------|-------------------|-----------------------|---------------|------------------|-------------|
| 61 | LANCASTER COURT | SOUTHWEST | 4/19/2011 | 1.38 | 1.23 | 113 | 0.7 | 0.001 |
| 61 | LANCASTER COURT | SOUTHWEST | 10/3/2011 | 1.05 | 0.71 | 73 | 0.8 | 0.001 |
| 62 | LANCASTER COURT | SOUTHWEST | 4/21/2011 | 1.57 | 1.42 | 138 | 0.4 | 0.001 |
| 62 | LANCASTER COURT | SOUTHWEST | 9/29/2011 | 1.91 | 1.77 | 145 | 0.2 | 0.001 |
| 63 | LANCASTER COURT | SOUTHWEST | 4/20/2011 | 2.31 | 1.93 | 215 | 0.9 | 0.001 |
| 63 | LANCASTER COURT | SOUTHWEST | 9/28/2011 | 2.13 | 2.02 | 166 | 0.4 | 0.001 |
| 64 | LANCASTER COURT | SOUTHWEST | 5/7/2011 | 0.51 | < 0.503 | 82 | 0.4 | 0.001 |
| 64 | LANCASTER COURT | SOUTHWEST | 10/6/2011 | < 0.503 | < 0.503 | 76 | 0.2 | 0.001 |
| 65 | 7100 LANCASTER LANE | SOUTHWEST | 4/20/2011 | 1.57 | 1.10 | 109 | 1.1 | 0.001 |
| 65 | 7100 LANCASTER LANE | SOUTHWEST | 9/29/2011 | 1.51 | 1.43 | 109 | 0.4 | 0.001 |
| 66 | 2700 MUIR FIELD ROAD | SOUTHWEST | 5/10/2011 | 1.26 | 0.94 | 119 | 0.3 | 0.001 |
| 66 | 2700 MUIR FIELD ROAD | SOUTHWEST | 9/28/2011 | 1.23 | 1.16 | 132 | 0.6 | 0.001 |
| 67 | 7100 PAGHAM DRIVE | SOUTHWEST | 4/20/2011 | < 0.503 | < 0.503 | 82 | 0.8 | 0.001 |
| 67 | 7100 PAGHAM DRIVE | SOUTHWEST | 11/15/2011 | <0.503 | <0.503 | 52 | 0.5 | 0.001 |
| 68 | 2300 WHITLOCK ROAD | SOUTHWEST | 4/20/2011 | 1.67 | 1.62 | 118 | 0.9 | 0.001 |
| 68 | 2300 WHITLOCK ROAD | SOUTHWEST | 9/28/2011 | 1.98 | 1.69 | 117 | 0.5 | 0.001 |
| 69 | 2300 WHITLOCK ROAD | SOUTHWEST | 4/21/2011 | 0.60 | < 0.503 | 82 | 1.2 | 0.001 |
| 69 | 2300 WHITLOCK ROAD | SOUTHWEST | 9/29/2011 | 0.99 | 0.90 | 97 | 0.6 | 0.001 |
| 70 | 2300 WHITLOCK ROAD | SOUTHWEST | 4/28/2011 | 1.20 | 0.92 | 96 | 1.0 | 0.001 |
| 70 | 2300 WHITLOCK ROAD | SOUTHWEST | 10/5/2011 | 0.99 | 0.89 | 91 | 0.4 | 0.001 |
| 71 | 2400 WHITLOCK ROAD | SOUTHWEST | 4/20/2011 | 1.76 | 1.30 | 111 | 1.4 | 0.001 |
| 71 | 2400 WHITLOCK ROAD | SOUTHWEST | 9/30/2011 | 2.44 | 1.97 | 124 | 0.6 | 0.001 |
| 72 | 2600 WHITLOCK ROAD | SOUTHWEST | 4/17/2011 | 0.72 | 0.56 | 80 | 0.8 | 0.001 |
| 72 | 2600 WHITLOCK ROAD | SOUTHWEST | 10/11/2011 | 0.76 | 0.70 | 103 | 0.4 | 0.001 |
| 73 | APPLE HILL CIRCLE | WEST | 5/12/2011 | < 0.503 | < 0.503 | 44 | 4.2 | 0.034 |
| 73 | APPLE HILL CIRCLE | WEST | 9/29/2011 | < 0.503 | < 0.503 | 70 | 1.2 | 0.011 |
| 74 | APPLE HILL CIRCLE | WEST | 4/25/2011 | 1.06 | 0.57 | 107 | 1.7 | 0.010 |
| 74 | APPLE HILL CIRCLE | WEST | 10/10/2011 | 1.27 | 0.86 | 113 | 0.9 | 0.002 |
| 75 | 5500 BELIN STREET | WEST | 4/20/2011 | 1.05 | 0.73 | 92 | 0.3 | 0.005 |
| 75 | 5500 BELIN STREET | WEST | 9/29/2011 | 1.21 | 1.07 | 114 | 0.2 | 0.005 |

Lead and Copper Monitoring - 2011

| ID # | Street & Block | Area | Sample Date | Total Lead ppb | Dissolved Lead ppb | Copper ppb | Manganese ppb | Iron ppm |
|------|------------------------|------|-------------|-------------------|-----------------------|---------------|------------------|-------------|
| 76 | FISKDALE CIRCLE | WEST | 4/21/2011 | 0.77 | < 0.503 | 115 | 3.8 | 0.040 |
| 76 | FISKDALE CIRCLE | WEST | 10/3/2011 | < 0.503 | < 0.503 | 113 | 0.7 | 0.001 |
| 77 | 6800 HARVEST HILL ROAD | WEST | 4/21/2011 | 0.80 | < 0.503 | 91 | 1.5 | 0.014 |
| 77 | 6800 HARVEST HILL ROAD | WEST | 9/29/2011 | 0.83 | 0.63 | 84 | 0.5 | 0.001 |
| 78 | 6900 HARVEST HILL ROAD | WEST | 4/16/2011 | < 0.503 | < 0.503 | 105 | 1.3 | 0.004 |
| 78 | 6900 HARVEST HILL ROAD | WEST | 9/27/2011 | 0.53 | < 0.503 | 106 | 3.2 | 0.032 |
| 79 | 7000 HARVEST HILL ROAD | WEST | 4/18/2011 | 0.97 | < 0.503 | 90 | 3.7 | 0.033 |
| 79 | 7000 HARVEST HILL ROAD | WEST | 9/28/2011 | 0.62 | 0.57 | 103 | 0.2 | 0.002 |
| 80 | 7000 HARVEST HILL ROAD | WEST | 4/19/2011 | 1.24 | < 0.503 | 87 | 7.9 | 0.082 |
| 80 | 7000 HARVEST HILL ROAD | WEST | 9/28/2011 | 0.84 | 0.70 | 99 | 0.4 | 0.002 |
| 81 | 7100 HARVEST HILL ROAD | WEST | 4/20/2011 | 1.10 | < 0.503 | 85 | 8.6 | 0.096 |
| 81 | 7100 HARVEST HILL ROAD | WEST | 10/10/2011 | 0.57 | < 0.503 | 108 | 1.2 | 0.002 |
| 82 | 1800 HICKORY DRIVE | WEST | 5/10/2011 | 5.59 | 5.59 | 170 | < 0.15 | 0.001 |
| 82 | 1800 HICKORY DRIVE | WEST | 11/3/2011 | 3.88 | 3.22 | 150 | 0.8 | 0.007 |
| 83 | MORNINGDALE CIRCLE | WEST | 4/17/2011 | < 0.503 | < 0.503 | 72 | 0.3 | 0.002 |
| 83 | MORNINGDALE CIRCLE | WEST | 9/29/2011 | < 0.503 | < 0.503 | 29 | 1.0 | 0.003 |
| 84 | RAMSGATE CIRCLE | WEST | 4/20/2011 | 1.13 | < 0.503 | 120 | 4.6 | 0.050 |
| 84 | RAMSGATE CIRCLE | WEST | 9/28/2011 | 2.41 | 1.42 | 134 | 2.0 | 0.026 |
| 85 | 200 SARATOGA CIRCLE | WEST | 4/18/2011 | 0.84 | < 0.503 | 127 | 2.1 | 0.023 |
| 85 | 200 SARATOGA CIRCLE | WEST | 10/3/2011 | < 0.503 | < 0.503 | 117 | 0.2 | 0.001 |
| 86 | E SPYGLASS COURT | WEST | 4/21/2011 | 1.52 | 0.78 | 145 | 1.5 | 0.014 |
| 86 | E SPYGLASS COURT | WEST | 10/13/2011 | 1.36 | 1.12 | 147 | 1.3 | 0.001 |
| 87 | N STRATHFIELD CIRCLE | WEST | 4/21/2011 | 1.76 | < 0.503 | 139 | 5.8 | 0.055 |
| 87 | N STRATHFIELD CIRCLE | WEST | 9/30/2011 | 17.5 | 3.79 | 244 | 3.3 | 0.063 |
| 88 | 1000 N WESTFIELD ROAD | WEST | 4/19/2011 | 0.65 | < 0.503 | 105 | 4.4 | 0.036 |
| 88 | 1000 N WESTFIELD ROAD | WEST | 10/23/2011 | 2.83 | < 0.503 | 493 | 0.3 | 0.003 |
| 89 | OAK GLEN COURT | WEST | 4/20/2011 | 1.10 | < 0.503 | 151 | 9.3 | 0.093 |
| 89 | OAK GLEN COURT | WEST | 9/29/2011 | 2.04 | 0.68 | 146 | 2.4 | 0.012 |
| 90 | 7800 W OAKBROOK CIRCLE | WEST | 4/20/2011 | 1.84 | < 0.503 | 111 | 8.6 | 0.082 |
| 90 | 7800 W OAKBROOK CIRCLE | WEST | 9/28/2011 | 0.82 | < 0.503 | 98 | 2.7 | 0.006 |

Lead and Copper Monitoring - 2011

| ID # | Street & Block | Area | Sample Date | Total Lead ppb | Dissolved Lead ppb | Copper ppb | Manganese ppb | Iron ppm |
|------|------------------------|------|-------------|-------------------|-----------------------|---------------|------------------|-------------|
| 91 | 7800 W OAKBROOK CIRCLE | WEST | 4/19/2011 | 0.66 | < 0.503 | 111 | 2.0 | 0.006 |
| 91 | 7800 W OAKBROOK CIRCLE | WEST | 9/27/2011 | 0.80 | 0.62 | 109 | 0.6 | 0.006 |
| 92 | 7800 W OAKBROOK CIRCLE | WEST | 4/20/2011 | < 0.503 | < 0.503 | 95 | 6.6 | 0.001 |
| 92 | 7800 W OAKBROOK CIRCLE | WEST | 9/28/2011 | < 0.503 | < 0.503 | 6 | 18 | 0.002 |
| 93 | 7800 W OAKBROOK CIRCLE | WEST | 4/21/2011 | 1.52 | 1.01 | 135 | 1.8 | 0.006 |
| 93 | 7800 W OAKBROOK CIRCLE | WEST | 9/29/2011 | 1.51 | 0.92 | 117 | 1.5 | 0.002 |
| 94 | 7800 E OAKBROOK CIRCLE | WEST | 5/11/2011 | 2.95 | < 0.503 | 132 | 9.0 | 0.096 |
| 94 | 7800 E OAKBROOK CIRCLE | WEST | 9/28/2011 | 1.28 | 0.95 | 120 | 1.2 | 0.003 |
| 95 | 7800 E OAKBROOK CIRCLE | WEST | 4/16/2011 | 0.59 | < 0.503 | 117 | 1.5 | 0.005 |
| 95 | 7800 E OAKBROOK CIRCLE | WEST | 9/28/2011 | 3.75 | 0.57 | 116 | 12 | 0.046 |
| 96 | 7800 E OAKBROOK CIRCLE | WEST | 4/26/2011 | 1.17 | 0.97 | 142 | 1.0 | 0.002 |
| 96 | 7800 E OAKBROOK CIRCLE | WEST | 10/4/2011 | 1.10 | 0.59 | 95 | 1.9 | 0.001 |
| 97 | SANDY COURT | WEST | 4/21/2011 | 0.97 | < 0.503 | 101 | 1.8 | 0.005 |
| 97 | SANDY COURT | WEST | 9/29/2011 | 1.05 | 0.54 | 98 | 3.7 | 0.014 |
| 98 | SANDY COURT | WEST | 4/19/2011 | 1.03 | < 0.503 | 109 | 9.0 | 0.088 |
| 98 | SANDY COURT | WEST | 9/28/2011 | 0.92 | < 0.503 | 108 | 2.3 | 0.008 |
| 99 | STONEHEDGE COURT | WEST | 4/20/2011 | 0.59 | 0.56 | 39 | 2.0 | 0.005 |
| 99 | STONEHEDGE COURT | WEST | 9/28/2011 | 1.13 | 0.86 | 54 | 2.5 | 0.004 |
| 100 | STONEHEDGE COURT | WEST | 4/20/2011 | 1.59 | < 0.503 | 172 | 7.4 | 0.078 |
| 100 | STONEHEDGE COURT | WEST | 9/28/2011 | 8.63 | 3.92 | 193 | 1.7 | 0.002 |